Just In Time Quick Check
Standard of Learning (SOL) AII.11a

Strand: Statistics

Standard of Learning (SOL) AII.11a
The student will identify and describe properties of a normal distribution.

Grade Level Skills:
- Identify the properties of a normal distribution.
- Describe how the standard deviation and the mean affect the graph of the normal distribution.
- Use a graphing utility to investigate, represesnt, and determine relationships between a normally distributed data set and its descriptive statistics.

Just in Time Quick Check

Just in Time Quick Check Teacher Notes

Supporting Resources:
- VDOE Mathematics Instructional Plans (MIPS)
  - o Calculating Measures of Dispersion (Word) / PDF version
  - o Normal Distributions (Word) / PDF Version
- VDOE Word Wall Cards: Algebra II (Word) / PDF Version
  - o Statistics Notation, Mean, Median, Mode, Variance, Standard Deviation (Definition), Standard Deviation (Graphic), z-Score (Definition), z-Score (Graphic), Empirical Rule, and Elements within One Standard Deviation (σ) of the Mean (μ) (Graphic)

Supporting and Prerequisite SOL: N/A

SOL AII.11a - Just in Time Quick Check

1. The graphs of two different normal distributions, Distribution A and Distribution B, are shown below.

Distribution A

Distribution B

   a) Identify which of these distributions, A or B, appears to have a greater mean. Explain your reasoning.

   b) Identify which of these distributions, A or B, appears to have a greater standard deviation. Explain your reasoning.

2. The value of the mode of a normally distributed set of data is: (circle one)

   A. Always greater than the value of the mean

   B. Approximately the same as the value of the mean

   C. Always less than the value of the mean

   The value of the median of a normally distributed set of data is: (circle one)

   A. Always greater than the value of the mean

   B. Approximately the same as the value of the mean

   C. Always less than the value of the mean

3. What appears to be the total area under the curve of the normal distribution shown below?


4. The weights of watermelons at a store are normally distributed. If 95% of the weights were centered between 10 and 18 pounds, what is the best estimate of the mean and standard deviation, in pounds, of this sample?

1. The graphs of two different normal distributions, Distribution A and Distribution B, are shown below.

a) Identify which of these distributions, A or B, appears to have a greater mean. Explain your reasoning.

b) Identify which of these distributions, A or B, appears to have a greater standard deviation. Explain your reasoning.

In part a) A common error that some students may make is to choose Distribution A as having the larger mean. This may indicate that students interpreted the curve that appears to be "taller" as having a larger mean. Students may interpret vertical height at the top of the curve as representing the mean, versus the vertical line of symmetry of the normal distribution falls at the mean. In part b) A common error that some students may make is to choose Distribution A as having a greater standard deviation than Distribution B. This may indicate that the students may not recognize that the standard deviation is a measure of the spread and the greater the standard deviation, the wider the distribution of data. A potential teaching strategy may be to have students explore how changing the parameters of the normal distribution affect the curve using Desmos (the distribution function) to graph them on the same axes.

2. The value of the mode of a normally distributed set of data is: (circle one)

   A. Always greater than the value of the mean

   B. Approximately the same as the value of the mean

   C. Always less than the value of the mean

   The value of the median of a normally distributed set of data is: (circle one)

   A. Always greater than the value of the mean

   B. Approximately the same as the value of the mean

   C. Always less than the value of the mean

A common error that some students may make is to assume that the values of the mode and/or median are different than the value of the mean of a normally distributed set of data. This may indicate that students

3. What appears to be the total area under the curve of the normal distribution shown below?

4. The weights of watermelons at a store are normally distributed. If 95% of the weights were centered between 10 and 18 pounds, what is the best estimate of the mean and standard deviation, in pounds, of this sample?